

































- Porter WL. Recent trends in food applications of antioxidants. *Autoxidation in food and biological systems*: Springer; 1980. p. 295-365.
- Prommano O, Chaisri U, Turner GD, Wilairatana P, Ferguson DJ, Viriyavejakul P, et al. A quantitative ultrastructural study of the liver and the spleen in fatal *falciparum* malaria. *Southeast Asian journal of tropical medicine and public health*. 2005; 36(6): 1359.
- Reddy MK, Gupta SK, Jacob MR, Khan SI, Ferreira D. Antioxidant, antimalarial and antimicrobial activities of tannin-rich fractions, ellagitannins and phenolic acids from *Punica granatum* L. *Planta medica*. 2007; 53(05): 461-7.
- Rosenthal PJ, Sijwali PS, Singh A, Shenai BR. Cysteine proteases of malaria parasites: targets for chemotherapy. *Current pharmaceutical design*. 2002; 8(18): 1659-72.
- Rudzinska MA, Trager W, Bray R. Pinocytotic uptake and the digestion of hemoglobin in malaria parasites. *The Journal of protozoology*. 1965; 12(4): 563-76.
- Schwarzer E, Kühn H, Valente E, Arese P. Malaria-parasitized erythrocytes and hemozoin nonenzymatically generate large amounts of hydroxy fatty acids that inhibit monocyte functions. *Blood*. 2003; 101(2): 722-8.
- Shao J, Wang P, Liu A, Du X, Bai J, Chen M. Punicalagin prevents hypoxic pulmonary hypertension via anti-oxidant effects in rats. *The American journal of Chinese medicine*. 2016; 44(04): 785-801.
- Singh R, Chidambara Murthy K, Jayaprakasha G. Studies on the antioxidant activity of pomegranate (*Punica granatum*) peel and seed extracts using in vitro models. *Journal of agricultural and food chemistry*. 2002; 50(1): 81-6.
- Slater A, Swiggard WJ, Orton BR, Flitter WD, Goldberg DE, Cerami A, et al. An iron-carboxylate bond links the heme
- Soh PN, Witkowski B, Olganier D, Nicolau M-L, Garcia-Alvarez M-C, Berry A, et al. In vitro and in vivo properties of ellagic acid in malaria treatment. *Antimicrobial agents and chemotherapy*. 2009; 53(3): 1100-6.
- Spilmont M, Léotoing L, Davicco M-J, Lebecque P, Mercier S, Miot-Noirault E, et al. Pomegranate and its derivatives can improve bone health through decreased inflammation and oxidative stress in an animal model of postmenopausal osteoporosis. *European journal of nutrition*. 2014; 53(5): 1155-64.
- Viriyavejakul P, Khachonsaksumet V, Punsawad C. Liver changes in severe *Plasmodium falciparum* malaria: histopathology, apoptosis and nuclear factor kappa B expression. *Malaria journal*. 2014; 13(1): 106.
- Wang H, Cao G, Prior RL. Total antioxidant capacity of fruits. *Journal of agricultural and food chemistry*. 1996; 44(3): 701-5.
- Wang JY, Zhu C, Qian TW, Guo H, Wang DD, Zhang F, et al. Extracts of black bean peel and pomegranate peel ameliorate oxidative stress-induced hyperglycemia in mice. *Experimental and therapeutic medicine*. 2015; 9(1): 43-8.
- White N. *Plasmodium knowlesi*: the fifth human malaria parasite. The University of Chicago Press; 2008. Information PCH. Diseases & Conditions: Malaria: internet; 2018.